Page 2

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-58. (Cancelled)

- 59. (Previously Presented) An isolated Nod-factor binding polypeptide comprising: at least 80% amino acid sequence identity to any one of SEQ ID NO: 8, 15, 31, 32, 40, or 48, wherein said polypeptide comprises an extracellular domain comprising 2 or 3 different LysM-type motifs, and wherein said polypeptide selectively binds strain-specific forms of Nod-Factor.
- 60. (Previously Presented) An isolated Nod-factor binding polypeptide comprising: at least 80% amino acid sequence identity to any one of SEQ ID NO: 24 or 25, wherein said polypeptide comprises an extracellular domain comprising 2 or 3 different LysM-type motifs, and wherein said polypeptide selectively binds strain-specific forms of Nod-Factor.
- 61. (Previously Presented) The isolated Nod-factor binding polypeptide of claim 59, wherein said polypeptide comprises the amino acid sequence of any one of SEQ ID NO: 8, 15, 31, 32, 40, or 48.
- 62. (Previously Presented) The isolated Nod-factor binding polypeptide of claim 60, wherein said polypeptide comprises the amino acid sequence of any one of SEQ ID NO: 24 or 25.
- 63. (Previously Presented) An isolated Nod-factor binding element comprising

Page 3

one or more isolated Nod-factor binding polypeptide of claim 59, and further comprising one or more isolated Nod-factor binding polypeptide comprising at least 80% amino acid sequence identity to any one of SEQ ID NO: 24, 25, 52, or 54, wherein said polypeptide comprises an extracellular domain comprising 2 or 3 different LysM-type motifs, and wherein said polypeptide selectively binds strain-specific forms of Nod-Factor.

- 64. (Previously Presented) An isolated Nod-factor binding element comprising one or more isolated Nod-factor binding polypeptide of claim 61, and further comprising one or more polypeptide comprising the amino acid sequence of any one of SEQ ID NO: 24, 25, 52, or 54.
- 65. (Previously Presented) An isolated nucleic acid molecule encoding the Nod-factor binding polypeptide of claim 59.
- 66. (Previously Presented) An isolated nucleic acid molecule encoding the Nod-factor binding polypeptide of claim 60.
- 67. (Previously Presented) The isolated nucleic acid molecule of claim 65, wherein said nucleic acid molecule comprises the nucleotide sequence of SEQ ID NO: 6, 7, 11, 12, 30, 39, or 47.
- 68. (Previously Presented) The isolated nucleic acid molecule of claim 66, wherein said nucleic acid molecule comprises the nucleotide sequence of SEQ ID NO: 21, 22, or 23.
- 69. (Previously Presented) A transgenic cell stably transformed with one or more nucleic acid molecule encoding the Nod-factor binding polypeptide of claim 59.
- 70. (Previously Presented) The transgenic cell of claim 69, wherein said nucleic acid molecule encodes a polypeptide having the sequence of SEQ ID NOS: 8, 15, 31, 32, 40, or 48.

Page 4

71. (Previously Presented) The transgenic cell of claim 69, wherein said nucleic acid molecule comprises the sequence of SEQ ID NOS: 6, 7, 11, 12, 30, 39, or 47.

- 72. (Previously Presented) A transgenic cell stably transformed with one or more nucleic acid molecule encoding the Nod-factor binding polypeptide of claim 60.
- 73. (Previously Presented) The transgenic cell of claim 72, wherein said nucleic acid molecule encodes a polypeptide having the sequence of SEQ ID NOS: 24 or 25.
- 74. (Currently Amended) The transgenic cell of claim 72, wherein said nucleic acid molecule comprises the sequence of SEQ ID NOS: 21, 22, or 23[[,]].
- 75. (Previously Presented) A transgenic cell comprising one or more transgene encoding the Nod Factor binding element of claim 63.
- 76. (Previously Presented) A transgenic cell comprising one or more transgene encoding the Nod Factor binding element of claim 64.
- 77. (Cancelled)
- 78. (Cancelled)
- 79. (Cancelled)
- 80. (Cancelled)
- 81. (Cancelled)
- 82. (Cancelled)
- 83. (Cancelled)
- 84. (Cancelled)
- 85. (Currently Amended) A method of producing a transgenic plant expressing a Nodfactor binding <u>polypeptide</u> protein, the method comprising:

Page 5

a. introducing into the plant a nucleic acid molecule encoding one or more Nod-factor binding polypeptide of claim 59, wherein the nucleic acid sequence
molecule is operably linked to a promoter; and

- b. selecting transgenic plants expressing the Nod-factor binding protein polypeptide.
- 86. (Previously Presented) The method of claim 85, wherein said nucleic acid molecule encodes a polypeptide having the amino acid sequence of SEQ ID NO: 8, 15, 31, 32, 40, or 48.
- 87. (Previously Presented) The method of claim 85, wherein said nucleic acid molecule comprises the sequence of SEQ ID NO: 6, 7, 11, 12, 30, 39, or 47.
- 88. (Currently Amended) A method of producing a transgenic plant expressing a Nodfactor binding polypeptide, the method comprising:
 - a. introducing into the plant a nucleic acid molecule encoding one or more Nod-factor binding polypeptide of claim 60, wherein the nucleic acid sequence molecule is operably linked to a promoter; and
 - b. selecting transgenic plants expressing the Nod-factor binding polypeptide.
- 89. (Previously Presented) The method of claim 88, wherein said nucleic acid molecule encodes a polypeptide having the amino acid sequence of SEQ ID NO: 24 or 25.
- 90. (Previously Presented) The method of claim 88, wherein said nucleic acid molecule comprises the sequence of SEQ ID NO: 21, 22, or 23.
- 91. (Previously Presented) The method of claim 85, further comprising introducing into the plant one or more nucleic acid molecule encoding a polypeptide having at least 80% amino acid sequence identity to SEQ ID NO: 24, 25, 52, or 54

Page 6

92. (Previously Presented) The method of claim 86, comprising:

introducing into the plant one or more nucleic acid molecule encoding a polypeptide having the amino acid sequence of SEQ ID NO: 8, 15, 31, 32, 40, or 48; and further introducing into the plant one or more nucleic acid molecule encoding a polypeptide having the amino acid sequence of SEQ ID NO: 24, 25, 52, or 54.

- 93. (Currently Amended) The method of claim 91, comprising introducing into the plant one or more nucleic acid sequence molecule comprising SEQ ID NO: 6, 7, 11, 12, 30, 39, or 47; and further introducing one or more nucleic acid sequence molecule comprising SEQ ID NO: 21, 22, 23, 51, or 53.
- 94. (Currently Amended) The method of claim 85, wherein one or more nucleic acid sequence molecule is introduced into the plant through a sexual cross.
- 95. (Currently Amended) The method of claim 88, wherein one or more nucleic acid sequence molecule is introduced into the plant through a sexual cross.
- 96. (Currently Amended) The method of claim 91, wherein one or more nucleic acid sequence molecule is introduced into the plant through a sexual cross.
- 97. (Currently Amended) The method of claim 93, wherein one or more nucleic acid sequence molecule is introduced into the plant through a sexual cross.
- 98. (Previously Presented) A transgenic plant comprising one or more transgene encoding the Nod-factor binding polypeptide of claim 59.
- 99. (Previously Presented) The transgenic plant of claim 98, wherein the polypeptide comprises the amino acid sequence of SEQ ID NO: 8, 15, 31, 32, 40, or 48.

Page 7

100. (Previously Presented) A transgenic plant comprising one or more transgene encoding the Nod-factor binding polypeptide of claim 60.

101. (Previously Presented) The transgenic plant of claim 100, wherein the polypeptide comprises the amino acid sequence of SEQ ID NO: 24 or 25.

102. (Previously Presented) A transgenic plant comprising one or more transgene encoding the Nod-factor binding element of claim 63.

103. (Previously Presented) A transgenic plant comprising one or more transgene encoding the Nod-factor binding element of claim 64.

104. (Previously Presented) The transgenic plant of claim 98, wherein said plant is a cereal.

105. (Cancelled)

106. (Previously Presented) The transgenic plant of claim 100, wherein said plant is a cereal.

107. (Cancelled)

108. (Cancelled)

109. (Cancelled)

110. (Previously Presented) The transgenic plant of claim 98, wherein said plant is a legume.

111. (Cancelled)

112. (Previously Presented) The transgenic plant of claim 100, wherein said plant is a legume.

Appln. No.: 10/563,194 Page 8

- 113. (Cancelled)
- 114. (Cancelled)
- 115. (Cancelled)
- 116. (Previously Presented) The transgenic plant of claim 98, wherein said plant is a non-nodulating plant.
- 117. (Cancelled)
- 118. (Previously Presented) The transgenic plant of claim 100, wherein said plant is a non-nodulating plant.
- 119. (Cancelled)
- 120. (Cancelled)
- 121. (Cancelled)
- 122. (Previously Presented) An isolated Nod-factor binding polypeptide comprising: at least 90% amino acid sequence identity to SEQ ID NO: 52 or 54, wherein said polypeptide comprises an extracellular domain comprising 2 or 3 different LysM-type motifs, and wherein said polypeptide selectively binds strain-specific forms of Nod-Factor.
- 123. (Previously Presented) An isolated nucleic acid molecule encoding the Nod-factor binding polypeptide of claim 122.
- 124. (Previously Presented) A transgenic cell stably transformed with one or more nucleic acid molecule encoding the Nod-factor binding polypeptide of claim 122.
- 125. (Previously Presented) The transgenic cell of claim 124, wherein said nucleic acid molecule comprises the nucleotide sequence of SEQ ID NO: 51 or 53.

Page 9

126. (Previously Presented) A transgenic plant comprising one or more transgene encoding the Nod-factor binding polypeptide of claim 122.

- 127. (Previously Presented) The transgenic plant of claim 98, wherein the transgene encodes a polypeptide comprising at least 80% amino acid sequence identity to SEQ ID NO: 8.
- 128. (Previously Presented) The transgenic plant of claim 98, wherein the transgene encodes a polypeptide comprising at least 80% amino acid sequence identity to SEQ ID NO: 15.
- 129. (Previously Presented) The transgenic plant of claim 98, wherein the transgene encodes a polypeptide comprising at least 80% amino acid sequence identity to SEQ ID NO: 31.
- 130. (Previously Presented) The transgenic plant of claim 98, wherein the transgene encodes a polypeptide comprising at least 80% amino acid sequence identity to SEQ ID NO: 32.
- 131. (Previously Presented) The transgenic plant of claim 98, wherein the transgene encodes a polypeptide comprising at least 80% amino acid sequence identity to SEQ ID NO: 40.
- 132. (Previously Presented) The transgenic plant of claim 98, wherein the transgene encodes a polypeptide comprising at least 80% amino acid sequence identity to SEQ ID NO: 48.

Page 10

133. (Previously Presented) The transgenic plant of claim 100, wherein the transgene encodes a polypeptide comprising at least 80% amino acid sequence identity to SEQ ID NO: 24.

- 134. (Previously Presented) The transgenic plant of claim 98, wherein the transgene encodes a polypeptide comprising the sequence of SEQ ID NO: 8.
- 135. (Previously Presented) The transgenic plant of claim 98, wherein the transgene encodes a polypeptide comprising the sequence of SEQ ID NO: 15.
- 136. (Previously Presented) The transgenic plant of claim 98, wherein the transgene encodes a polypeptide comprising the sequence of SEQ ID NO: 31.
- 137. (Previously Presented) The transgenic plant of claim 98, wherein the transgene encodes a polypeptide comprising the sequence of SEQ ID NO: 32.
- 138. (Previously Presented) The transgenic plant of claim 98, wherein the transgene encodes a polypeptide comprising the sequence of SEQ ID NO: 40.
- 139. (Previously Presented) The transgenic plant of claim 98, wherein the transgene encodes a polypeptide comprising the sequence of SEQ ID NO: 48.
- 140. (Previously Presented) The transgenic plant of claim 100, wherein the transgene encodes a polypeptide comprising the sequence of SEQ ID NO: 24.
- 141. (Previously Presented) The transgenic plant of claim 126, wherein the transgene encodes a polypeptide comprising the sequence of SEQ ID NO: 52.